### **ELECTRICAL**

## ProMariner ProNautic P Series Chargers

- 12 Selectable Charge Profiles
- Power Factor Correction Global AC Input
- Distributed On Demand<sup>™</sup> Technology
- Digital Self Calculating Absorption / Conditioning Mode
- Conservation Energy Saver Mode
- Dual Digital Displays with Power Output Bar
- Power-On Self Test Start up Diagnostics
- Automatic Battery Health Mode
- Service and Fault Mode LED Indicators
- Automatic Fan Speed Control
- Automatic Temperature Compensation
- Built-in Safety Ignition Protected and Current Limiting

No.	Volts	Amps	Banks	Price
PRO 63110	12	10	2	\$219.99
PRO 63115	12	15	3	\$269.99
PRO 63120	12	20	3	\$339.99
PRO 63130	12	30	3	\$399.99
PRO 63140	12	40	3	\$439.99
PRO 63150	12	50	3	\$569.99

#### **Pro**Mariner

#### **Pro Sport Series Heavy Duty Battery Chargers**

- System OK & Battery Bank Trouble Status Indicators
- Digital Multi-Stage Performance Charging
- Storage Recondition Mode
- Distributed-On-Demand™ Technology
- Digital LED Display and Battery Type Selector
- Built-in Quality & Safety
- Pre-wired for Easy Installation

No.	Volts	Amps	Banks	Price
PRO 43006	12	6	1 2 3	\$105.49
PRO 43012	12/24	12		\$149.99
PRO 43021	12/24/36	20		\$199.99

**GUEST** Guest On-Board Battery Designed to maximize Chargers

individual battery performance, extend battery life and show battery status better than ever before. Every Guest charger has a dedicated output that delivers the full amount of amps per bank. The easy to read graphics indicates the status of each battery bank through the charging process. 100% waterproof performance to IP67


- All high frequency, digital charging technology
- · Microprocessor and software control for precision, fully automatic 5-stage performance charging
- · Dedicated battery charging, sensing and control per bank
- · Individual battery sensing and control
- · Wiring and battery fault detection
- Auto-maintain energy saver mode
- For all 12 volt flooded and AGM lead acid batteries
- Built-in safety: reverse polarity, over-current, over-voltage, overtemperature and ignition protection. In-line fuses for maximum DC wire protection.
- · 2 year warranty

NO.	DC System voltage	Amps	Banks	Pring
GST 2708A GST 2711A	12 12/24	5 5/5	1 2	\$99.99 \$146.99

#### ARUNCO On-Board

#### **Charger Inlet**

Makes battery charging through an onboard battery charger safer and convenient. Inlet mounts on the boat's exterior and is hard wired directly to the charger. Open the flip lid cover and plug an extension cord into the inlet to bring charging power to the boat's batteries. 15A 125V straight blade inlet. UV resistant housing & cap.





### Poffermente: Turbo MV2 Series Waterproof Onboard Chargers

A compact, feature-packed, and epoxy potted for true, long-term waterproof. This is a true 3-stage automatic charger that has built-in battery type selector which allows user to charge Lead-Acid, AGM, or GEL batteries to their fullest capacities. Two year warranty

- Full Range (100-240V) AV Input
- · Full Output @ 90V AC

# 12V Output System PMN M440V2



#### ProMariner ProMar On-Board **Battery Chargers**

- Fully Automatic Charging
   Cable Length: 6 feet AC and DC
- · Charge, condition & maintain batteries with a built-in safe maintenance mode.
- Use with Lead Acid (Flooded) or GEL batteries.
- Automatically charges & maintains your engine crank battery while distributing all remaining charging amps to trolling motor batterie(s).
- · Completely waterproof & shockproof
- Dual in line DC safety fuses (multi-bank models) Reverse polarity, ignition and temperature protection
- Pre-Wired for Easy Installation
- · 2 Year Warranty

Note: Not for use with AGM (Absorbed Glass Matt) or 4D or 8D large capacity batteries

No.	DC Output	Max. # Of Batteries	Price
PRO 31405 PRO 31410	(5/5) 10 Amp	(1) 12 Volt (2) 12 Volt	\$82.99 \$134.99
PRO 31413	(5/5/3) 13 Amp	(3) 12 Volt	\$159.99

### BLUE SEA

### **Battery Switches**

Compact high amperage switches. Luminous label for low light readability. Vaporproof/Ignition protected. Case design allows surface or flush mounting

#### Specifications

Intermittent Rating: 400 Amperes DC Continuous Rating: 300 Amperes DC Voltage Rating: 32 Volts DC Maximum

No. BSS 9001E - 4 Position No. BSS 9003E - On/Off



#### POHERMANIA"

#### **Turbo MV2 Series Waterproof Onboard Chargers**

A compact, feature-packed, and epoxy-potted for true, long-term waterproof. This is a true 3-stage automatic charger that has built-in battery type selector which allows user to charge Lead-Acid, AGM, or GEL batteries to their fullest capacities. 2 year warranty.

- · Full Range (100-240V) AV Input
- · Full Output @ 90V AC
- · Charge 0-Volt Batteries
- 8.25"L x 5.75"W x 2.75"H

No.	12V Output	Max. Output	System	Price
PMN M220V2		20 Amps	12/24V DC	\$209.99
PMN M320V2	3	20 Amps	12/24/36V DC	\$229.59

#### NOCO Genius Wicked **Smart Battery** Chargers

- Rapid Charging Technology (RCT): Each NOCO Genius charger comes with Rapid Charging Technology (RCT) programmed inside. Charges batteries 2X faster than traditional linear marinebattery chargers.
- NOCO Genius Charger always delivers a 100% charge to your batteries.
- Safely Charges Wet, Gel, MF & AGM Batteries
- Automatically Diagnoses, Recovers, Charges & Maintains Your Batteries!



No.	MilliAmps	Price
NOC G750	750 MA	\$41.49
NOC G1100	1100 MA	\$49.99
NOC G3500	3500MA	\$69.99
NOC G7200	7200MA	\$100.00



#### Ignition **Protected Battery** Selector Switches

Use with two or more batteries. For use with systems under 50 volts. 250 AMPS continuous / 360 AMPS intermittent.

No. PER 8501DP

No. PER 8503DP - w/Field Disconnect



\$**59**99

8503DP



This lanyard has 7 keys to fit all Johnson, Evinrude, Mercury, Yamaha, Tohatsu Nissan and Honda kill switches. Equipped with a swivel snap hook to prevent tangle and rust-free stainless steel crimps. No. KWK BKS6



### **ELECTRICAL / SHORE POWER**

### MARINCO

#### **Plug & Connector**

30A 125V Locking Type, 2 Pole, 3 Wire, Grounding

Plug (male)

30 amps 125 volts, yellow nylon. No. MAR 305CRPN

Connector (female)

30 Amps 125 Volts, yellow nylon. No. MAR 305CRCN



### Connector

#### 104SPP Adapter

30 amp, 125 volt locking connector with 15 amp, 125 volt straight blade plug with LED indicator, gripend, and thumbprint locator. No. MAR 104SPP



This adapter is for use in wet locations. Features two 30A

HUBBELL

125V locking female connectors, with sealing collar systems and one male 30A 125V connector

No. MAR 157AY - 30A, 125V MALE

#### **30 Amp Cord Sets**

Weather-resistant molded contour grips on both the plug and connector ends conform to the shape of your hand. The LED power indicator light adds safety and convenience by glowing red to give immediate indication that electricity is flowing

No.	Color	Size	Price
MAR 199119	Yellow	50'	\$112.59
MAR 199120	White	50'	\$115.99

#### 301EL-B Inlet

Non-metallic with easy lock system. Power inlet, watertight, w/4-way, right-angle safety enclosure, #316 stainless steel trim. No. MAR 301ELB



#### **EEL One Piece** Adapters with LED **Power Indicator**

15 or 20A 125V Straight Blade to 30A 125V

\$**4Q**99 Locking





#### No. MAR S3015 **Cord Sets 50 Amp Cord Set**

125 Volt, 30 Amp, 2 Pole, 3 Wire.

		100	to-don
No.	Color	Size	Price
HUB 61CM05	Yellow	35'	\$99.99
HUB 61CM08	Yellow	50'	\$106.99
HUB 61CM05W	White	35'	\$99.99
HUB 61CM08W	White	50'	910C 00

#### **Shore Power Inlet**

Weatherproof when completely closed. Interior is heat resistant thermoset material and has threaded post terminals for ease of wiring with crimp terminals (ring or fork). Mounting holes are 2-3/8" on centers and match existing mounting patterns. Mounting screws and gasket included.

No. HUB 303NMBL

### 105A Adapter

30 amp, 125 volt locking plug with 15 amp.

125 volt straight blade connector. No. HUB 105A



Cable Set. 50' (15.2 m) yellow vinyl jacketed shore power cable set. #6 AWG is completely factory pre-wired with molded on devices. The connector end has a threaded sealing ring for

3 Pole 4 Wire, 50A Molded

making the inlet connector interface watertight. No. HUB 61CM52 68549

#### **Adapters**

31CM28 - Permits the use of a 30 amp 125 volt Twist-Lock locking type plug with a 15 amp 125 volt straight blade receptacle.

No. HUB 31CM28

31CM29 - Permits the use of a 15 amp or 20 amp 125 volt straight blade plug with a 30 amp 125 volt Twist-Lock locking type receptacle.

No. HUB 31CM29

#### Y Adapter 64CM54

Permits the use of two 30 amp 125 volt cable sets with one 50 amp 125/250 volt

receptacle No. HUB 64CM54



### 50 AMP 125/250 Connector & Plug

**Connector Body** 

Nickel plated brass connector body. Has heat resistant thermoset interior. No. HUB 63CM64



Connector

Nickel plated brass plug. Has heat resistant thermoset interior. No. HUB 63CM65

# \$**109**99

\$4799

## SMARTPLUG"

## SmartPlug 30 Amp Inlet and Connector

The SmartPlug is a revolutionary shore power system designed to replace the outdated and problematic twist-type design in use today. It's intuitive to use and provides greater protection against loose connections and corrosion - the leading causes of shore power failure and fires. Includes the Inlet and the Connector, everything you need to protect your boat from shore power overheating and burning.

- Weatherproof
- · Locks into place
- · Protects from overheating
- Easy to install

No. SPG B30ASSYNT



#### **SWITCHES BY**

#### **Standard Toggle Switches**

Off-On Single Pole. Rated for 20 Amps at 12 volts.



Description SIE TG400201 **OFF-ON Single Pole** \$6.99 SIE TG400301 OFF-MOM ON Single Pole \$7.99 SIE TG400401 ON-OFF-ON Single Pole \$7.19 SIE TG400501 MOM ON-OFF MOM ON \$7.99

#### **Illuminated Contura® Rocker Switches**

- Non-corrosive plastic construction
- Removable actuators
- Brass blade terminals, silver contacts Rated: 20 amps @12 VDC

	10000	
lo.	Description	Price
SIE RK194401	OFF-ON SPST	\$11.99
SIE RK195401	ON-OFF-ON DPDT	\$20.19
IE RK194601	ON-OFF-ON SPOT	\$15.20

#### **Push-to-Choke Ignition Switches**

Switch functions:

- Push-to-choke 3 position magneto 3-position
- Off-Ignition-Start (choke)
- Replaces most Mercury
- · 6 screw terminals

No. SIE MP41000



#### **Push to Choke Magneto** 3-PositionOff-Ignition-Start-Choke

· 6 wires - no terminals · Replaces most Mercury

No. SIE MP410702

#### WHITECAP Shore Power **Cable Holder**

304 S.S. Shore Power Cable Holder Tube Dia. -1-1/4" Overall Height - 27" Inside Ring Dia. - 3/4" Fits all standard shore power cables. Tube bottom, has 2 slots for multiple positions

No. WHT S6241



### **LUBRICANTS AND FUEL ADDITIVES**

#### CRC

#### Multi Purpose Lubricant 6-56 Fights Moisture!

- · Penetrating Aerosol.
- · Protects against corrosion.
- · Does not affect painted surfaces.
- . 16 oz. container; Net Wt. 11 oz.

No. CRC 06007



### CRC

#### **Motor Treatment**

Cleans gum, varnish and carbon from the fuel system, injectors, pistons, and combustion chamber, 16 oz

No. CRC 05316



#### CRC

#### **Marine Carb** and Choke Cleaner

Fast Acting. Penetrates hard-to-reach passages. Removes gum, carbon, & varnish deposits. 16 oz.

No. CRC 06064




BELARA

#### **BELIFAY** Marine Extreme Waterproof Grease ml/14 oz

- Waterproof aluminum complex grease for all bearing and bushing applications
- · Corrosion Protection (even in salt water)
- Wear protection extends component life
- · Will not melt, run or wash out
- For bearings, bushings and other applications

No. BRY 99710CG







- · Remove frozen fasteners
- · Protect and lube all metals
- · Corrosive protective coating


No. BRY 99020A400W



### All In One Fuel

- Increases octane for more efficient combustion and more engine power
- Cleans fuel lines and injectors to ensure smooth fuel delivery into the combustion chamber

No. BRY 99570BT4





#### **MARINE 360** Formula STA-BIL

Ethanol Treatment and Performance Improver With Extra Corrosion Protection & Fuel System Cleaning to help prevent corrosion and improve engine performance

year-round.		15/07/0	
No.	Size	Treats Up To	Price
GDE 22241	10 oz.	100 Gallons	\$10.99
GDE 22240	32 07	320 Gallone	625.00



#### **Sea Foam Motor Treatment**

- Motor Treatment works to dissolve and clean fuel deposits and sticky residues from gas and diesel injectors, carburetors, and combustion chambers.
- Helps to stabilize stored fuel for up to two years by resisting evaporation, preserving ignition vapors, and preventing the formation of gum and varnish.

No. SFO SF16 16 oz.



#### **Gasoline Additive** Ethanol Treatment

Prevents fuel oxidation & stabilizes fuel chemistry for at least 1 year (gasoline) & 2 years (diesel). Disperses water from E10 gasoline

CHIEF CARLON				
	No.	Size	Treats	Price
	SBC 93008	8 oz	125 Gallons	\$11.49
	SBC 93016	16 oz	250 Gallons	\$19.99
١	SBC 93032	32 07	500 Gallone	620.00



#### Ring Clean +

- · Ideal for removing deposits caused by ethanol- blended fuel
- Works in all gas and diesel engines; use every time fuel is added to keep engines in optimal condition



**Lower Unit Deluxe** Pump

Deluxe Pump fits quart oil bottles. Flexible hose gets too hard to reach locations. Fits most motors.

No. SDG 502150H1



#### **Marine Grease**

Lucas Marine Grease is a premium, heavy duty lithium complex NLGI GC-LB certified grease formulated with a unique additive system designed to provide maximum lubrication under the most severe marine operating conditions. A true marine grease with applications in trailer wheel bearing, trailer chassis lubrication, automotive wheel bearings and outboards. Typical weld point of 620 Kg. The minimum industry standard is 200 Kg. Not recommended for centralized dispensing systems.



#### **Heavy Duty Oil** Stabilizer

Use Lucas Oil Stabilizer in gear oil to stop leaks, reduce operating temperatures and increase the life of the gear oil. Since it is pure petroleum, it can safely blend with all other lubricants, even synthetics, ATF and mineral oil. It keeps old engines alive and new engines new.

No. LUC 10001

Quart

Disclaimer: Pricing on lubricants current at time of printing. Subject to the volatility of the petroleum market

#### 2-Cycle Engine Oil TC-W3™

Formulated to minimize spark plug fouling, plugging of valve ports, ring sticking, rusting, corrosion, and high temperature oxidation. Meets the recommendations of all major two-cycle engine manufacturers requiring TC-W®,TC-WII®, or TC-W3®

0.	Size	Price
DA 30207	Pint	\$3.99
DA 30201	Quart	\$6.49
DA 30205	Gallon	626.00



CO

CC

CC

### **Engine Oil**

Marine JS-2 2-Stroke Engine Oil is a NMMA certified TC-W3 engine oil that is specifically formulated to meet the needs of all outboards and PWC's including direct fuel-injected engines in extreme marine operating conditions. Meets and exceeds NMMA TC-W3 specifications and will not void your engines warranty where a TC-W3 oil is recommended

No.	Size	Price
BRY 99722BT1	1 L/33.8 oz.	\$8.59
BRY 99722BT4	4 1 /1 06 691	624.20




#### **Super Premium 2-Cycl Engine Oil TC-W3**

Meets or exceeds manufacturers'

specifications-will not void engine warranty Exceeds performance specifications for FICHT, Optimax and HPDI engines

 For use in oil injection, 2 cycle and pre-mix engines

No.	Size	Ctn.	Price
SBC 19200	Gallon	6	\$30.49
SBC 19225	2.5 Gallon	2	\$75.70



No. LUC 1032060 14 oz.







1	Marine JS-2	2-Stroke
0	Gallon	\$26.99
1	Quart	\$6.49
7	Pint	\$3.99
-	OILU	FILE



## **LUBRICANTS AND FUEL ADDITIVES**

#### QUICKSILVER

#### 2-Stroke Oils

#### Premium Plus TCW-3

Quicksilver's exclusive formulation offers extreme protection for mid- to high-horsepower outboard engines.

 Maintain peak engine performance and reliability Recommended for use in oil-injected, carbureted or electronic fuel injected (EFI) mid- to high-horsepower engines such as Mercury®, Mariner® and Force® outboards, Mercury Jet Drives® and Mercury Sport Jet®



Sierra

#### 10W-40 FC-W Synthetic Blend **Engine Oil**

QT

GAL

\$10.99

\$39.99

· Direct Suzuki replacement oil

QSL 858026Q01

QSL 858027Q01

· Semi-Synthetic formulation for superior protection under high loads and operating stress

NMMA FC-W Certified/API-SL

No.	Size	Price
SIE 1895512	QT	\$7.99
SIE 1895513	GAL	\$27.49



#### 10W-30 4 Stroke **Outboard Engine Oil**

Specifically formulated to meet or exceed the requirements of Marine 4-Stroke motor manufacturers, Mercury, Yamaha. Johnson-Evinrude, Suzuki and Honda Will not void your engine manufacturer's warranty

No. SIE 1894202 - Quart No. SIE 1894203 - Gallon





#### 25W-40 4 Stroke Stern Drive Engine Oil

Developed for the marine environment and will out perform standard 4-cycle automotive engine oils. Meets or exceeds quality performance API SJ, CF-4. CH-4. Recommended for use in Mercruiser, OMC & Volvo Penta

No.	Size	Price
SIE 1894002	Quart	\$7.99
SIE 1894004	5 Quart	\$37.99



Disclaimer: Pricing on lubricants current at time of printing. Subject to the volatility of the petroleum market.

#### 15W-40 CJ-4 Heavy **Duty Motor Oils**

15W40 CJ-4 Engine Oil meets API Service Classification CJ-4, CI-4 PLUS, CI-4, CH-4, CG-4, CF-4, CF/SM, SL, SJ, SH. It is recommended for Caterpillar ECF-1, ECF-2, ECF-3, 20077, 20076, Man 3275, DDC/MTU Series 2000/4000 category 1 and 2 engine performance, Volvo VDS-3, DHD-1, ACEA E5 and E3, JASO DH-2.



No.	SAE Grade	Size	Price
COA 702941 COA 702958	15W-40 15W-40	Quart	\$5.99
	1044-40	Gallon	\$21.99



#### SAE 30 Full Synthetic Marine **Engine Oil**

A special blend of synthetic base oil and a balanced additive system that exceeds the FC-W requirements for marine engine oil.

 Recommended for gasoline and diesel inboard and sterndrive engines.

· Reduces friction and wear for extended engine life. Longer lubrication effectiveness than mineral

 Replaces Volvo 3842343 30W Synthetic. · API SL/CF

No.	Size	Price
SIE 1894102	OT	\$10.49
SIE 1894104	5 QT	\$41.99
		100000000000000000000000000000000000000



#### QUICKSILVER

#### 4-Stroke Oils

Sierra

 For use in all 4-Stroke Marine Engines - New formula 4-Stroke oils are engineering Approved for all marine 4-Stroke applications, including: Outboard, MerCruiser, High Performance, Stern Drive/Inboard, and exceeds all Marine industry 4-Stroke oil requirements including FC-W and FC-W Catalyst Compatible.

 25W40 Synthetic Blend recommended in all Marine

Engines (BEST Choice)



No.	Size	Туре	Grade	Price
QSL 8M0078616	QT	MINERAL	10W-30	\$7.99
QSL 8M0078617	GAL	MINERAL	10W-30	\$27.99
QSL 8M0078619	QT	MINERAL	25W-40	\$7.99
QSL 8M0078620	GAL	MINERAL	25W-40	\$27.99
QSL 8M0078622	QT	SYNTHETIC	25W-40	\$9.99
QSL 8M0078623	GAL	SYNTHETIC	25W-40	\$36.99

#### Coastal

## Heavy Duty Fleet Motor Oils 30W & 40W

Coastal HD Fleet Motor Oils are premium quality engine oils meeting the requirements of diesel and gasoline engines requiring a CF-4 CF-2, CF, SL, They are designed for use in both turbocharged and naturally aspirated diesel engines. Coastal HD Fleet, 30W & 40w meet the requirements of Detroit Diesel (2 Cycle).





SAE	Size	Orino
30W		\$5.40
	100000000000000000000000000000000000000	\$54.00
70500	160 1400 000	96.138
		\$5.49 \$21.99
		30W QT 30W GAL 40W QT

#### BELORAY Marine 4-Stroke 25W-**40 High Performance Engine Oil**

FC-W CAT® Certified, API SM

- · Petroleum-based formula infused with Extreme Pressure (anti-wear and anti-rust/corrosion additives)
- Reduces oil consumption
- · Long change intervals
- · For 4-Stroke outboard, inboard, stern drive and

Size	Price
1 L/33.8 oz.	\$7.79
4 L/1.06 Gal	\$28.59
	1 L/33.8 oz.

#### QUICKSILVER

#### **High Performance** Gear Lube - SAE 90

Quicksilver outperforms automotive gear oil in marine applications because of its specialized additive package designed for marine gear cases

Prevent corrosion and pitting \$1/199

Help extend gear life

No. QSL 858064Q01 - Quart

Quart



#### **Lower Unit Gear Lube HP Synthetic Blend**

Hi-Performance Blend OMC (System Matched) Ultra-HPF Blend, Yamaha (Yamalube)

LUB-GEARL-11-00 Quart No. SIE 1896502





## **ENGINE AND FUEL SUPPLIES**

Sierra

MICRON

Tall

Short

149



#### **High Performance** Fuel/Water Separating Filter

This filter meets Yamaha Motor Corporation USA MARINE GROUP requirements for marine outboard engine application



It has a 10 micron filter element with a high pleat count. More pleats mean more capacity and increased efficiency. 90 GPH

No. SIE 187866



Ilncludes Aluminum Bracket, Filter & 2 pipe plugs. Bonus pack contains kit with two filters. Tall Filter, 10 Micron



1879861

No. SIE 1879821 - 1/4" Pipe Thread Size No. SIE 1879861 - 3/8" Pipe Thread Size

### Sierra Fuel Filter


High Performance 10 Micron Replaces: OMC 502906

Volvo 3851218-2, 3852413 No. SIE 187989



#### SIE 1879851 Filter Assembly with 3/8" Ports \$89.99 **10 Micron Fuel Water** Sierra Separator





**Fuel Water Separator** 

Stainless steel bracket made of marine grade

stainless steel for ultimate corrosion protection

Description

SIE 1879841 Filter Assembly with 1/4" Ports \$84.99

**Kits with Stainless** 

Steel Bracket

and durability.

No

No. SIE 187944 - Short version Mercury Replaces: 35-807172, 35-802893G

No. SIE 187946 - 10 Micron OMC Replaces: 174144 (Fits OMC Bracket) and 502905





**Oil Filters** 

### Racor. Spin-On **Fuel Filter/Water Separators**

For outboard engines, a rugged see-thru bowl lets you visually monitor filter effectiveness. Inboard engine applications require a metal bowl. Accumulated water is easily drained from the collection bowl; when the filter element is replaced, the bowl is reused.

10 micron filters are recommended for use with E10

OUTBOARD APPLICATIONS ONLY No. RAC B32013

RAC B32013 Replaces Mercruiser Quicksilver #35-60494-1 (See-thru bowl)

**RAC B32014** 

RAC B32021MAM

No. RAC B32014

Replaces OMC #174144. (See-thru bowl)

INBOARD OR OUTBOARD APPLICATIONS No. RAC B32020MAM

Replaces Mercruiser Quicksilver #35-60494-1 (Metal bowl)

No. RAC B32021MAM

Replaces OMC #174144 (Metal bowl)

REPLACEMENT FILTER ELEMENTS ONLY Fits

No **RAC S3213 RAC B32013** \$29.99 **RAC S3214 RAC B32014** \$29.99 RAC S3220TUL RAC B32020MAM \$29.99 RAC S3221TUL RAC B32021MAM \$32.99

### Racor.

Marine Gasoline Series Spin On Fuel Filter/Water Separator

Fuel Filter/Water Separator with mounting head.Spin-on Element and see-thru blue bowl. 60 gph 1/4" NPTF ports.10 Micron.

OUTBOARD APPLICATIONS ONLY

No. RAC 320RRAC01 Complete Assembly

No. RAC \$3227

Replacement Element



RAC B32020MAM

### Sierra **Oil Filters**

SIE 1878761 SIE 1878242 SIE 1879061 SIE 1879111

Description

Fits Mercruiser/OMC Fits GM V8 & 4cyl engines. Short filter Fits some Yamaha/Mercury O/B's Fits Honda/Yamaha/Nissan

\$9.99 \$7.99 \$9.99 \$10.99

QSL 8M0065103 QSL 883702Q QSL 866340003

QUICKSILVER

Description 4 stroke 0/B 25-115HP Mercruiser V6 non-remote filter Fits all GM Engines (short filter)

Price \$8.99 \$7.99

\$8.99





No. SIE 187830 - Replaces: Mercury 35-16494-1, 35-816296 1, T1, Q2 Johnson/Evinrude 398327 Application: 5/16"

No. SIE 187831 – Replaces: Mercury 802128A1.

Johnson/Evinrude 398319 Application: 3/8



Fits many Mercury Four Stroke Outboards and Verados.

No. QSL 879885Q

#### QUICKSILVER Water Separating **Fuel Filter**

Water separating fuel filter with the blue screw-in sensor. Located under the cowl on all Mercury/ Mariner V-6

EFI/DFI outboard engines, 1996 and newer No. QSL 1845804

### QUICKSILVER



### **Water Separating Fuel Filter**

25 micron

Used in both outboard and MerCruiser applications (except 1992 MerCruiser 4.3 L Gen II engines equipped with an in-line fuel filter & 1.6L Vazer engines). No. QSL 802893001

## **ENGINE ACCESSORIES**

### **NELLER:** Portable Plastic Fuel Tanks

Manufactured from high-density polyethylene with ultraviolet inhibitors. 3 and 6 gallon tanks include our 90 degree fuel withdrawal assembly that rotates 360 degrees to reduce fuel line kinks and a direct sight fuel gauge with glass lens.

No.	Capacity	Dimensions	Dring
MOE 620003LP		9" W x 17" L x 10" H w/cap	PITTE
MOE 620049LP	6 Gallons	13-1/2" W x 21-1/8" L x 10" H w/cap	\$59.99
MOE 630013LP	12 Gallons	" L W V ZI-I/O L X IU" H W/Can	\$68.99
		18" W x 24-1/4" L x 11" H w/cap	\$119.99
MOL 000012LP	12 Gallons	14-1/2" W x 23" L x 13-3/5" H	\$119.99

## TIER **Battery Operated Fuel Transfer Pump with Auto** Stop and Leak Protection

- 35" discharge hose / Powerful Motor
- 3 gallons per min / Requires 4 AA batteries (not included) / Flexible Intake hose / No-spill Auto-Stop Nozzle

No. TER TRFA01

## **MELLER** Fuel Line Assemblies

"Low Permeation EPA Approved"

compounded, tough and pliable UV-resistant hose designed to

- meet the needs of today's gasoline Includes fittings built to strict OEM specifications for replacement parts.
- Uses o-ring construction on all fittings for tight, leak-free connections.

Io. MOE 03439010LPA - 3/8" I.D.

Universal fit end. Replaces OEM No.: J/E 176667/ 174513, Mercury 32-822379A. 80" In length

No. MOE 03439110LPA - 3/8" I.D. Hose Bombardier (Johnson/ Evinrude) Fuel Line Assembly, Replaces OEM No.: 398549

No. MOE 03439410LPA -3/8"I.D. Hose Yamaha Fuel Line Assembly,

Replaces OEM No.: 6Y2-24306-05-00

Assemblies use a

We Have a Large Selection of Tanks, Fuel Lines and Fittings For All Applications We also have aluminum anodes for Inboards as required by ABYC!

#### Aluminum **Anode Kits** for Mercury **Outdrives**

Available for Alpha Gen I and II, Bravo I, II, and III drives. Wear indicators





Alpha I Gen II No. PRF 10059A



Bravo II. III No. PRF 10061A



Bravo III 2004 No. PRF 10165A

#### PERFORMANCE METALS

#### **Aluminum Anode Kits for** Yamaha Outboards

Comes with mounting hardware. Anodes have wear indicator that appears as the anode wears.



10182A - Yamaha 200-250HP Four Stroke

PRF 10183A

10183A Yamaha 150-175HP

150-175HP

Description PRF 10182A 200-250HP 4 stroke

\$36.99 \$33.99

#### PERKO ÜSA:

included

### FlushPro<sup>™</sup> From PERKO

With FlushPro<sup>™</sup> from PERKO, you can flush your direct drives V-drive, Jet Drive, applicable Inboard/Outboard or Heat Exchange systems with an ordinary garden hose.

- Flush your boat engine safely and easily.
- Transparent so you can monitor water flow. \*Kit includes:
- (1) Check Valve with Hose Clamps,
- (1) PER499 DP CHR Water Inlet Fitting and

(1) 7' Length of Hose and Fittings

No.	Description	
PER 0456DP6	Flush ProTM 1"	Price
PER 0456DP7	Flush ProTM 1-1/4"	\$106.99
PER 0457DP6	*Kit 1"	\$106.99
PER 04570P7	*Kit 1-1/4"	\$172.99
II FD.	NIL 1-1/4"	\$172.99

#### **Motor Flushers**

Quickly removes salt and mineral build-up with a simple flush that slips over side water inlets on most inboard and outboard lower units. Install in seconds using just a garden

#### Rectangular Cup

- · Ideal for low pressure
- For use on all lower units including Volvo SX

#### No. MOE 09907700

#### **Dual Feed**

- Improved water flow with rectangular cups
- Best flusher available

No. MOE 09908200

Barmaele Buster

### **Barnacle Buster®**

Barnacle Buster® is a safe, non-toxic and biodegradable marine growth remover that can be safely re-circulated through seawater cooling systems, dissolving barnacles, zebra mussels, calcium, rust, lime & all

(1) Gallon - Concentrate makes 5 Gallons of Barnacle Remover.

No. TRE 1206MC – Concentrate Gal. No. TRE 1208MC – Ready to Use Gal.

\$**69**99

Concentrate Ready to Use



### M.ELLER

### Universal Motor Flusher

For all lower units with side water inlets No. MOE 9907610

\$699



### **CRC** Salt Terminator®

#### Engine Flush, Cleaner & Corrosion Inhibitor, FI Oz with Mixer

Cleans & protects anything exposed to salt (saltwater, salt air, road salt). Dissolves salt & leaves a protective coating to inhibit corrosion. Essential as a motor flush for marine engines in both saltwater and freshwater environments.

No. CRC SX32M - Quart with Mixer No. CRC SX32 - Quart Refill No. CRC SX128 - Gallon Refill

\$**16**99

Quart with Mixer

Quart Refill Gallon Refill

### **ENGINE AND STEERING**

#### **HYDRAULIC STEERING KITS**



#### **Hydraulic Steering Kit**

Allows you all of the safety, reliability and comfort of hydraulic steering on 150HP (Total) outboard powered boats. Kits come complete with everything needed for an installation. The cylinder utilizes the factory outboard engine supplied drag link for simplified installation. For your convenience two lengths of 20' cut to fit tubing are supplied. Includes: helm pump, cylinder, tubing kit, 2 bottles of hydraulic steering fluid, and filler kit.

No. TEL HK4200A3



### **Hydraulic Steering System**

The most popular outboard hydraulic steering system in the world, offering smooth, super-efficient No Feedback Steering designed for today's high performance hulls with single or multiple outboards up to 600 H.P. combined. The #1 system available today for center console, cruisers and more. The choice of leading OEM's.

- Complete with bleeder kit and detailed instructions
- · Helm, cylinder and oil, all in one kit
- · Easy steering, easy to install · Order wheel and hoses
- separately

No. TEL HK6400A3

Sea Star Hose Kits 2 Hoses per kit	No. TEL H05102 TEL H05104 TEL H05106 TEL H05108 TEL H05110 TEL H05112	Lgth 2' 4' 6' 8' 10' 12'	Price \$124.99 \$124.99 \$124.99 \$124.99 \$124.99 \$124.99	No. TEL H05118 TEL H05120 TEL H05122 TEL H05124 TEL H05126 TEL H05128	Lgth 18' 20' 22' 24' 26' 28'	Price \$129.99 \$139.99 \$169.99 \$179.99 \$225.99 \$234.59
	TEL H05114 TEL H05116	12' 14' 16'	\$124.99 \$124.99 \$124.99	TEL H05128 TEL H05130	28' 30'	\$234.59 \$237.39

#### WFLEX

#### **HyTECH 1.0 Outboard Steering Kit** for 150HP and Below

The HYTECH steering kit features the unique split tilt tube rod that allows for installation of the cylinder without removing the engine. The HYTECH is an easy and affordable outboard hydraulic



steering solution for boats with 150 horsepower and under. HYTECH offers effortless steering with 5 turns lock to lock. And, it is applicable to almost all 2 and 4 stroke outboard engines. This kit includes the helm, cylinder, two quarts of oil, and 40" of cut to length tubing.

No.	Description	Price \$729.99	
UFX HYTECH10	Standard Helm Kit		

#### WFLEX

#### PROTECH Hydraulic \$1,04999 **Steering System**

The Protech Front Mount Outboard Hydraulic Kit delivers unmatched performance and durability. Featuring the UP28FM helm with a stainless steel shaft and heavy duty seals, this system



offers an incredibly efficient 4.25 turns lock to lock. The UC128 cylinder completes the system with a heavy duty cylinder rod, and a 304 electropolished and passivated stainless steel link assembly. Kit includes: UP28FM Helm, UC128 cylinder, and 2 quarts of oil. Kit OB hoses are optional.

See Dealer for proper cylinder application

No. UFX PROTECHIO No. UFX PROTECH20

#### WFLEX Controls Side Mount For use with most Ultraflex engine control cables 0 Single Lever Side Mount Controls Description **UFX B184** With Trim

UFX B184MERC With Trim for MERC

\$299.99



#### **MECHANICAL STEERING KITS**

SEASTAR SOLUTIONS

#### **Back Mount Rack Steering Systems**

Packaged Rack System includes: Helm, Cable, Bezel,

- Gives boater a feeling of total control and reliability
- The ideal replacement for most other systems
- For boats up to 24', wheels up to 16"
- . Cable lengths from 10' to 20'

No. TEL SS141XX (XX = Cable length)



Safe-T® Quick Connect™ **Rotary Steering** System



Safe-T® Quick Connect™, the most popular steering system ever made, offers the quick response of threeturn steering, with a patented, no-tools-required cable connection at the helm that makes installation a snap. Cable length from 8 to 20 feet. Kit includes cable, helm, bezel and hardware.

No. TEL SS137XX (XX = Cable length)



#### Safe-T II **NFB** Steering System

Patented No Feedback™ system minimizes clutch No free play and steering instability.

Fast, easy installation using Quick Connect™ cable. Stainless steel output ends. Kit includes cable, helm, bezel and hardware. Specify cable length from 10' to 20'.



Lath **TEL SS13210** 10 TEL SS13211 11' TEL SS13212 12' TEL SS13213 13' \$224.89 TEL SS13214 14' TEL SS13215 15' TEL SS13216 16' TEL SS13217 17' TEL SS13218 18' \$237.29 TEL SS13219 19' \$239,49 TEL SS13220 20' \$241.89



Sand cast brass chrome plated No. SDG 232310

## STEERING AND TRAILER ACCESSORIES

#### STEERING

### SEPPOGLINE

#### **Stainless** Steering Wheel

Formed 304 stainless steel with black cap. Tapered 3/4" bore, 15" diameter.

No. SDG 230215

- Dish Angle: 25° No. SDG 230115

- Dish Angle: 10°



10° Angle



#### **Steering Wheel**

• 13.5"

Diameter

 Black Polyurethane Grip Brushed anodized

aluminum spoke

Shallow Dish

• Fits 3/4" tapered shaft



No. ONG PU013101

### SEPPOGLINE

#### Steering Wheel **Maneuvering Knob**

Investment cast 316 stainless steel. Fits our steering wheels with part's numbers 230111, 230115, 230211, 230215 and most steering wheels with a rim diameter from 5/8" to 1"

No. SDG 2301061

### SEPPOGLINE



- Formed 304 Stainless Steel
- Standard 1/2" Taper bore
- 25° Dish Angle

No.	Description	Price
SDG 230323	13-1/2"	\$159.99
SDG 230325	15-1/2"	\$167.99



### Steering Wheel

Outstanding style,

craftsmanship, and rugged construction.

- Ready to mount on any 3/4" standard tapered shaft
- · Weather resistant urethane grip.
- Unique reinforced core eliminates twisting.
- 13-1/2" Dia.

No. TEL SW59691

#### Powerwinch

#### **Wireless Remote Control Trailer Winches**

Built-in light so you can use your boat at night!

- Pulley block provides for double line applications
- Emergency crank conveniently stores in casing
- · Remote power in/freewheel out operation 12 volt with included 60 amp standard wiring harness
- Cable size 7/32" x 40"
- · 2 year limited warranty

		,		U	P55950
No.	Model	Single Line Pull	Double Line	an. Dogi	Approx. Hull
PWR P55750	RC23	2,400 lbs.	Cap.	Weight*	Length
PWR P55950	100000000000000000000000000000000000000		4,300 lbs.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	17' to 23'
100	11000	4,000 lbs.	7,500 lbs.	11,500 lbs.	23' to 30'



#### DEXTER Drum Hubs

- Drum hubs are pre-greased and pre-assembled for clean, quick and easy installation
- · E-coated for greater corrosion resistance
- · Cup, cone, seal and dust cover included

No. DMP 81001 - 10" (5 Lug) \$0099 No. DMP 81002 - 12" (6 Lug)



81002



### **Highly Stylized Trailer Fender**

Dress up your trailer with a Tread-brite Aluminum fender. 9" Wide, 32" long and 16" tall, is a direct replacement for many OEM trailers. Made from 16gage aluminum with a raised tread pattern. Both sides of the fender are rolled (curved). Made in the USA No. TIE 44492



### **Plastic Fender**

Upgrade your trailer with these high impact white polyethylene fenders. Fits 13", 14" and 15" wheels on single or multiple axle setups. DIMENSIONS: 11-3/8" W x 45" L x 11" H

No. TIE 44332



#### Transom Support

- Constructed with high-strength aluminum
- Includes bolt-on and over-the-roller brackets

Adjustable from 25"to 36"

No. JIF FXK



#### **Heavy Duty Guide On Post**

48" high PVC pipe guides your boat on safely and gives you visual aid when backing an empty trailer. The non-mar PVC pipe is braced inside with metal tubing going 20" up into the tube, adding strength and impact resistance. All hardware

is included, and is hot dip galvanized for corrosion protection.

No. TIE 86103

**\$7/199** 









#### Standard Duty

P55750

- · Laminated, high carbon steel gears for longer life
- · Rigid, welded reel construction.
- Freewheel when ratchet is disengaged.
- Zinc plated Tuffplate finish.

No.	Rated Capacity	Price
DUT 600A	600 lbs.	\$44.99
DUT 900A	900 lbs.	\$44.99
DUT 1100A	1100 lbs.	\$49.99
DUT 1300A	1300 lbs.	\$52.99





#### Winch Cables

Galvanized steel aircraft cable is made to handle the heavy loads. Each cable is fitted with a heavy duty galvanized latch hook, pull proof loop and a fastener end for replacement use on power electric winches. Great for hand crank winches also.

Size	Strength	Price
¾s" x 25'		\$19.99
1/32" x 25'		\$24.99
½2" x 50'	5600 lbs.	\$29.99
	3/6" x 25' 3/2" x 25'	%" x 25' 4200 lbs. %2" x 25' 5600 lbs.



#### Winch Strap and Hook



Durable polyester strap makes winching your boat even easier. 2" width fits DL 1000 through DL2500 hand winches, and winds on smooth and even. Breaking strength 4000 lbs. Forged steel hook with tensile strength of 7500 lbs. Includes two mounting bolts—one to fit smaller winches and one for larger sizes.

No.	Strap Lgth	Price	
DUT 6248	15'	\$17.49	
DUT 6249	20'		
DUT 6250	25'	\$19.99 \$21.99	
		921.99	



Locks Hydraulic Steering when Trailering

Outboards equipped with hydraulic steering from "wandering" when trailering. Helps keep engine centered during transport.

- · Protects steering system, outboard, and motor supports
- Includes cord to connect units for storage and to aid in removal
- Simple to take on and off

No. THM SSIDP



### **Trailer Bunk Carpeting**

Easily cut to length and install. Color: Charcoal.

No. FUL 8008 - 8' carpet No. FUL 8012 - 12' carpet





### TRAILER ACCESSORIES



### LOAD STAR

Trailer Tires with Rims





N	UALVANIZED	<b>SOLID KIM</b>		
NO.	Size	Range	Lua	Price
AMW 30010	4:80x8	В	4	\$49.00
AMW 30030	4:80x8	В	5	\$49.99
AMW 30090	5:70x8	В	4	\$68.99
AMW 30110	5:70x8	В	5	\$68.99

GALVANIZED SPOKED RIM				
No.	Size	Range	Lug	Price
AMW 30550	4:80x12	В	4	\$79.99
AMW 30590	4:80x12	В	5	\$79.99
AMW 30710	5:30x12	В	4	\$89.99
AMW 30750	5:30x12	В	5	\$89.99
AMW 3S040	ST17580D13	В	4	\$119.99
AMW 3S060	ST17580D13	В	5	\$119.99
AMW 3S160	ST17580D13	C	5	\$119.99
AMW 3S450	ST20575D14	C	5	\$146.99

NU.	MODULAR TIRE Size	Range	Lugs	Prio
AMW 30672	480-12	C	5	\$76.9
AMW 3S430	ST205/75D14	C	5	\$149.9
AMW 32148	ST205/75R14	C	5	\$149.9
AMW 3S570	ST215/75D14	C	5	\$179.9
AMW 32188	ST215/75R14	C	5	\$199.9
MW 38885	ST225/75D15	D	6	\$199.9
MW 32647	ST225/75R15	D	6	\$219.99

WE STOCK MANY MORE SIZES AND STYLES! STOP IN!



### **Quick-Lock Class 2 Couplers**

(Non-passenger carrying trailers with a gross weight not to exceed 3500 lbs.)

vour choice



No. DUT 13885 - Housing width 3" I.D. for 2" ball No. DUT 13889 - Housing width 2" I.D. for 2" ball



#### **Quick-Lock Class 3 Coupler**

(All types of non-passenger carrying trailers with a gross weight not to exceed 5,000 lbs.) Housing width 3" I.D. For 2" ball.

No. DUT 13897





## Replacement **Hub Kits**

Bearings and hub cavity 100% pregreased. Grease seal and bearings are preassembled. All kits come with lug nuts.

No.	Description	Price
DMP 81060	4 Stud Hub Kit (1250#) 1"	\$46.99
DMP 81080	5 Stud Hub Kit (1250#) 1"	\$49.99
DMP 81085	5 Stud Hub Kit (1350#) 11/6"	\$49.99
DMP 81090	5 Stud Hub Kit (1750#) 1%" & 1%"	\$59.99



**Bearing Sets** 

Includes two bearings with races, one grease seal and one dust cap.

No.	Description	Price	
DUT 6202	1" Bearing	\$19.99	
DUT 6203	1%" Bearing	\$19.99	
<b>DUT 6207</b>	1%" x 1%"	\$17.40	

#### Bearing Buddy Millions of bearings owe their lives to it

#### Trailer Wheel **Bearing Protector**

Prevents wheel bearing failure and eliminates bearing repacking. Keeps water and dirt out while dispensing grease to bearing. Easy to check grease level and to install. Insist on genuine Bearing Buddy; the original, & still the best. Fits outer bearing cone: L4463, 49, 40. Outer bearing cup: L44610. Protector size: 1.98 No. BBD 42102



#### Side Mount Tire Carrier



Adjustable bolt circle fits both 4 lug and 5 lug wheels. Offset height raises tire and provides additional ground clearance. Security holes provide for optional cable and lock (not included). Hot dip galvanized for lasting protection. Fits all trailer tongues up to 3" wide by 4" high. Extra heavy duty welded steel construction. No. TIE 86098



### **Combo Ball Mount**



Comes with 2" ball. Max trailer weight 6000 lbs. Max tongue weight 600 lbs. Comes with 5/8" hitch pin and clip. Fits Class III hitch.

No. ACM 77221 - 2" Ball 2" Drop No. ACM 77421 - 2" Ball 4" Drop

4" Drop

### Master Universal Coupler Lock

This product has a nickel-plated, zinc diecast body with a front access key-way for ease of accessibility. The ratcheting shaft allows it to fit most 1-7/8" and 2" couplers.

No. MAS 377DAT







### Galvanized Trailer

These hubs come fully assembled with pregreased bearings, which cuts down on the mess and makes final installation on to the axle much easier. Includes carry case, dust cap, cotter pin and lug nuts.



No.	Description	CAPACITY	Price
CES 13215	1"	1250	\$49.99
CES 13315	1-1/16"	1350	\$54.99
CES 13515	1-3/8"x1-1/16"		
	. 5/5 XI I/10	1750	\$59.99



### Smire. Ribbed Roller Kit Blue TPR

Kit includes: Four 5" diameter x 3" wide ribbed rollers to fi 1-1/8" shaft with polypropylene hubs Four Delrin® bushings to fit rollers to 3/4" shaft Four 1-1/8" washers

Four 3/4" washers Four retainer rings

No. CES 29320



### **Poly Vinyl Wobble Roller Kit**

Poly vinyl rollers are long lasting, will absorb shock, are cut resistant and will not mark or mar your boat. Kit contains four rollers and bushings. Yellow

No. TIE 86144





## TRAILER ACCESSORIES

#### BoatBuckles Lift Release Gunwale ( A Brond of IMMI Tie-Downs



J-Hooks turned at right angle with Keeper. Rugged adjustable buckle. 2" wide webbing. Rated strength: 400 lbs. loop load. Do not exceed rated strength in actual use. Rating is 1/3 actual breaking

strength when new.

NU.	Length	Price
IMM F13113	10'	\$15.99
IMM F13114	13'	\$17.99
IMM F13115	16'	\$18.99
IMM F13116	20'	\$21.99

#### BoatBuckle 23

A Brand of IMM

#### **Pro Series Kwik-Lok Transom Tie-Downs**

Features our SUR-Grip Kwik-Lok buckle for maximum comfort. For added safety and security, they also come standard with Hi-Vis protective PVC pads and our Night Eyes reflective closure patch for increased visibility in low light conditions. Zinc-coated steel trailer hooks and vinyl coated top hook.

No. IMM F17631 - 2' No. IMM F17632 - 4' No. IMM F17633 - 6

#### Pivoting Screw-type Tonque Jack

1500 pound tongue weight capacity, zinc-plated TUFFPLATE® finish and tough polypropylene wheel. Maximum tongue height 28-1/2" (12" Travel). Maximum tongue size 3" x 5"

No. DUT 6800A




#### **FULTON**

#### Swivel **Marine Jack**

Zinc, with 1000 lbs. lift capacity and a 6" diameter caster. Designed for use with marine and utility trailers. Includes all necessary mounting hardware. Fits up to a 3" x 5" trailer frame Overall Length: Retracted 12.8" Extended 22.8"

No. FUL EJ10000101



### Swivel Tongue Jack

- · Screw type, swivel side mount
- · 1200 lbs. capacity
- 11" travel
- · 24" max. tongue height
- 3" x 5" max. tongue size No. DUT 3400

#### FULTON Bolt-Thru Swivel Jacks

This patented mount uses 3-D formed heavy gauge steel stampings and a proprietary bushing material for a mount with minimal deflection and maximum support. Will accommodate up to 3" X 5" trailer frames.



Max. Capacity Retracted Extended **FUL XP100101** Wheel 1200 lbs. 12.75" 22 75' 6" \$74.99 FUL XP150101 1500 lbs. 12.75" 22.75 6" \$96.49

### Wesbar

#### **Waterproof Over** 80" Low Profile **Tail Lights**

These versatile units serve seven basic functions (tail light, stop light, turn signal, side and rear reflex reflector, red side marker light, and red rear clearance light), preventing the additional cost of "add-on" lights, and the left hand light has a built-in license plate illuminator.

No. WSB 3026 - 8 Function LH No. WSB 3076 - 7 Function RH

#### **HOPKINS**

#### Endurance™ Flex-Coil™ 7 Blade to 5 Flat

Endurance™ Flex-Coil™ 7 Blade to 5 Flat

- Heavy Duty Connectors with Heavy Duty Cable
- · Increased Weatherproofing
- Tin-Plated Terminals
- Easy-Grip Connectors
- 3 Foot Stretch

No. HOP 47075



#### anderson marine

#### Piranha® LED Over 80" Wide **Combination Tail Light**

- Combination LED stop, turn and tail light
- Solid state construction—no bulbs to break or burn out
- 100,000-hour-rated life.
- · Fully sealed, submersible construction
- Exceeds all DOT rear lighting and reflex requirements for trailers 80" wide and over

No.	Description	Drine
AND V856	Without License Light	\$26.00
AND V856L	With License Light	\$32.59

#### **O**anderson marine

#### LED Over 80" Wide **Rear Trailer Light Kit** Submersible LED rear lighting kit for all

- trailers, including those 80" wide and over. Includes tail lights plus 25' trailer
- harness, license bracket, and mounting hardware. · Low profile design.
- · Advanced lens optics for an evenly lit appearance.

No. AND V944



### **Anderson** marine

#### **LED Low Profile Over 80" Wide Combination Tail Light**

- · Fully sealed, submersible construction.
- M844L roadside light includes license light.
- Exceeds all DOT rear lighting and reflex requirements for all trailers, including those 80" wide and over
- Advanced lens optics for an evenly lit appearance.



AND V844

HOPKINS

Adapter - 7

TO 5 & 4

Description Without License Plate Light With License Plate Light

\$24.99

### Wesbar

#### Submersible Tail Light Kit

Contains: two multi-function submersible tail lights (RH & LH), license plate bracket, 20' wishbone trailer harness, 4' trunk connector, hardware, and installation instructions.





### Submersible Identification Light Bar

The best light bar available for boat trailers 80" wider overall. Three fully submersible clearance lamps are fastened on 6" centers to this stainless steel bar. 14-1/4" x 1-1/8" x 1" No. WSB 3315

AND V844L

No. WSB 2527511

AND a 4-wire flat No. HOP 47385

Many other styles available with LEO technology!