SANITATION



JABSCO

Manual Marine Toilet With Twist and

The pump assembly is angled forward to provide a natural smooth stroke action and the convenient top mounted dry bowl selector is easy to operate. If desired, the pump and base can be assembled for left hand installation. The base assembly is fully skirted to eliminate the debris traps associated with most other toilets. Should the seal

ever need to be replaced, the external seal and rod guide assembly can be easily removed without disassembling the pump. Dimensions: $1734^{\circ}W$ x 10¾"D x 13¾6"H. No. ITT 29090300



JABSCO Electric Toilet, a xylem brand Deluxe Series

- · Space saving stylish design
- · Household size seat
- Virtually silent operation for undisturbed sleep
- Choice of "one touch" flush cycles for minimal water usage
- · Anti-blocking centrifugal flush pump
- · High gloss vitreous china bowl
- No "dirt traps" for maximum hygiene and easy cleaning
- · Fully user-serviceable
- · Fresh or salt water flush options

No. ITT 580201012



Electric Head

Simply push a button to flush. Self-priming flexible impeller flush pump scours bowl. Efficient macerator and high capacity scavenger pump grinds up waste and pumps it out. Pure white vitreous china bowl, baked enamel seat and cover. Corrosion resistant materials throughout. Built-in backflow preventer in discharge. Can be installed above or below waterline, base assembly can

be rotated for most convenient plumbing connections. Can be used with holding tank or with flow-through treatment devices. Includes 1" to 11/2" hose adapter for discharge port. Inlet 3/4"" hose, outlet 1" hose. 12 Volts DC. Dimensions: 13%"W x 17%"D x 1313/16"H.

No. ITT 37010009



THETERD

Porta Potti 260B Portable **Two-Piece Fresh Water Toilet**

- · High-gloss, easy-to-clean finish.
- · Convenient, no-splash pour-out spout.
- Built-in storage compartment for holding tank deodorant.
- · Fresh water flush.
- 2.6-gallon waste holding tank detaches for easy emptying.
- · Includes hold down kit.

3%16" W X 151/16"L X 121/16"H.

No. THT 92861



THETF RD Porta Potti® 260P Sealed. **Two-Piece Fresh Water** Flush Marine Head

- · Exclusive Rotating Pour-Out Spout for no-splash emptying
- · Level gauge indicator for waste holding tank.
- · Lid latch.
- Exclusive no-spill fresh water fill/ vent cap.
- 2.6 gallon waste holding tank detaches for easy emptying.
- · Includes hold down kit.

Dimensions: 12-1/16" H, 15-1/16" D, 13-9/16" W.

No. THT 92828



Portable toilets are compact and lightweight. Holding tanks are detachable for easy emptying. Features a leakproof design with locking lid to prevent spills. Sealing slide valve allows easy flushing and locks in odors. Sturdy construction with durable parts and seals.

· Side latch secures the tank to the toilet

No. CMC 41535 - 2.6 gal (12.5"H x 16.25"W x 14.5"D)

(Hold Down Kit NOT Available.)



) Johnson Pump. **Macerator Pump**

Takes care of toilet waste. The pump can be mounted directly to the toilet bowl or holding tank.

Features

Self priming to a 6 ft. lift when wet and a 4 ft. lift when dry.

• Inlet port for 1-1/2" hose or 1-1/2" NPT and discharge port for

No. JHN 102445301





Grinds waste into small particles for easy discharge.

Fully enclosed with stainless steel shaft. Includes Run Dry Protection with self-priming flexible impeller and stainless wearplate making this pump the ideal solution for emptying marine holding tanks. The unit is self-priming to a 5' lift when wet. The macerator section grinds waste to 1/4" or smaller. FLow rate is 12 GPM. 12 Volt. 15/20 Amps. 11/2" NPT inlet.

No. ITT 185902092



Dometic® 960 Series MSD **Portable Toilets** MSD Convenience - permanently installed for use

with dockside pump-out facilities. Self-contained 2.6 gallon freshwater supply - Top-mounted port offers easy in-vessel filling. Compact holding tanks, lots of capacity. 2.5 or 5.0 gallon holding tanks; enough for 30-50 uses! Adult-size seat and lid provide comfort and safety; side latches lock firmly for added safety. Color: Parchment

No. SLN 311196402 (964MSD) - 2.5 Gallons No. SLN 311196502 (965MSD) - 5 Gallons



965 MSD

964MSD & 965MSD 14%"W x 16%"D x 12"H (2.5gal) 14%"W x 16%"D x 15%"H (5gal)

^> DOMETIC



Advanced Odor Removal - Easy to Install & Replace

The innovative concave shape of the SeaLand ECO vent filter assures that malodorous gases are completely filtered through activated odor-adsorbing charcoal media.

Includes fittings for vent hose ID sizes: % in., % in., 1 in., and 1-% in. No. SLN 309311001





SANITATION AND FRESH WATER SUPPLIES

THETF RD Aqua-Kem® Shotz

Micro Concentrates

America's Most Trusted Holding Tank Deodorant in a Convenient Shot!

- · Powerful odor control and superior waste digestion
- · Liquefies waste and breaks down tissue fast to prevent
- Rapid dissolving, micro-concentrates deodorize fast. No measuring, spills or messes
- · 100% biodegradable
- · Contains (24) Micro Concentrated shots

No. THT 96318

Aqua-Kem® Holding Tank Deodorant

- The most powerful odor control available
- · Liquefies waste and breaks down tissue fast to prevent clogging
- 100% biodegradable

No. THT 94079 - 32 Oz. (Qt.). Bottle No. THT 94081 - 3-Pack of 8 Oz. Bottles

32 oz. Bottle

8 oz. 3-Pack

Eco-Smart™ Holding Tank Deodorant

- · Formaldehyde-Free Formula
- Superior odor control
- Quickly breaks down and liquefies waste and tissue to prevent messy clogs
- · Detergent additive keeps tanks clean
- Non-staining green dye washes clean with soap and water

No. THT 32949 - 36 oz. Liquid





by Dometic GROUP

8 oz. 4-Pack



Get the most powerful, longest-lasting odor control without formaldehyde with this line of "Advanced" formula products. Longest-lasting waste tank odor control - even in hot weather Breaks down waste and toilet tissue for clog-free effectiveness Just 4 oz. liquid deodorant treats a 40-gallon holding tank.

No. SLN 379700029 - 4-pack 8-oz. Bottles No. SLN 379700027 - 32-oz. Bottle



Noz-Ali™ Pumpout Adapter

by Dometic GROUP

The Noz-All heavy-duty glass-filled nylon adapter provides an airtight seal between your boat's deck waste fitting and the pump out station nozzle. The adapter is tapered to seal tightly with pump out nozzle assemblies. Works with both the rubber nozzle type and the cam-operated type of suction hose fittings.

Description SLN 310343502 1-1/2", 11.5 t.p.i. \$33.99 SLN 310343503 1-1/4",11.5 t.p.i. \$33,99



by Dometic GROUP

Sanisafe™ Rapid Dissolving **Toilet Tissue**

Biodegradable; Made for marine heads. Has the comfort and softness that you're used to at home, and its rapid disintegration keeps your entire system clog free. All natural and biodegradable, it contains no dyes or perfumes. 4 roll pack with 400 1-ply sheets

No. SLN 379441204



CAIMICO

TastePURE Drinking Water Freshener

Eliminate algae and slime buildup from drinking water tanks. Just one ounce helps remove bad smells and taste from 20 gallons of water.

- 16 oz. Bottle

No. CMC 40208



CAINICO

TastePURE KDF/Carbon **Water Filter**

Larger capacity filter lasts an entire season. Greatly reduces bad taste.

odors, chlorine and sediment in drinking water with a 100 micron fiber filter. Durable in-line, exterior mount filter has a wider body to increase flow. Includes flexible hose protector to minimize kinking that impedes water flow.

No. CMC 40043



Star britte Aqua Clean Freshwater Cleaner & Detergent

Cleans & deodorizes fresh water holding tanks and supply systems. Excellent for use after storage or winterization. Flushes out algae, bacteria, scale and sediment. Use periodically to prevent foul taste and odors. Gallon size. No. SBC 32300



TEKNORAPEX Marine/RV Flex Hose

- vinyl hoses Kink-free uninterrupted flow
- Easy to store small and compact
- Tough G-Force™ woven fiber jacket resists leaks, abrasion and punctures

Up to 40% lighter weight than heavy duty

- · 600+ psi burst rated
- · Consistent, high flow equal to a conventional 5/8" hose
- · Flexible and easy to maneuver even in cold weather down to 35°F
- Lead Free Drinking Water Safe

?ero(
WA MARINE HIST	

Size TEK 400625 1/2" x 25' \$29.39 TEK 400650 1/2" x 50" \$39.99

CAMICO Premium Water Hoses

Heavy Duty reinforced 5/8" ID drinking water hoses are 20% thicker than our standard hoses. Rated for 300 PSI and NSF listed. BPA free. Anti-kink design features machined fittings and spring reinforced ends to minimize kinking at the connection points. Drinking water safe.


No. CMC 22833 - 5/8" x 25' No. CMC 22853 - 5/8" x 50" No. CMC 22857 - 5/8" x 75"



Springhose Polyurethane Coiled **Water Hose Assembly**

The 3/8" Springhose is extremely flexible, lightweight, compact, UV resistant and drinking water safe. Coiled design does not kink or tangle. Far more durable than standard rubber & PVC hoses. Quality brass swivel fittings ensures longer service life

Na	or muniya e	nsules 10	onger service life.
No.	Color	Size	00400
PLS PUW615B9M11S	WHITE	15'	5.7.1 aa
PLS PUW625B9M11S	WHITE	25'	15'
PLS PUW650B9M11S	WHITE	50'	\$2199
PLS PUW615B9M3	BLUE	15'	25
PLS PUW625B9M3	BLUE	25'	\$/1799
PLS PUW650B9M3	BLUE	50'	50'



Specially designed nozzle resists corrosion caused by use around salt water. Durable polymer body includes an internal spring mechanism of stainless steel. No. GIL 4748





WATER SYSTEMS AND SUPPLIES

SHOWER SYSTEMS



Recessed Transom Shower

Plastic handle with chromed brass head and on/off push button. Soft cap fits snug and provides water tight seal. Easy installation with a 2-1/4" hole saw. White with 6' nylon hose. Water connection: 3/8" BSP-F fitting. 1/2" NPS

No. SVK 10055P



xylem brand Drain System

A compact full-capacity shower drain system. Automatically turns on after the water starts and shuts off when the water is removed. Activated by a Rule-A-Matic® mercury-free float switch. Pump capacity: 800 gph. Other features include a clear screw-down cover, removable strainer for easy cleaning, and an internal check valve to prevent back siphoning.

No. RUL 98A



- · Multi-port
- 3/4" discharge
- Inlet ports: 3/4", 1" 11/6", 11/2"

> Johnson Pump.

Ultima Shower Sump

1000 GPH Multi Port Shower Pump with switch. Featuring Ultima Switch technology. Designed to work flawlessly in harsh environments Ultima Switch ignores dirt, grease, hair, detergents and other nasty contaminants that enter the typical shower sump. No. JHN 57151





Attwood's shower sump systems deliver the performance you've been asking for. Offering fast water flow into and out of sump. The lid snaps in to allow quick installation (and removal for cleaning) and includes a gasket to seal the sump box against overflow. No. ATT 41434

mbassador.

Trinidad™ Head/Shower Combo **Faucet Classic Sprayer**

- · Chrome & white
- · Classic sprayer with locking teeth*
- Solid brass body with locking teeth*
- . 6' retractable, heavy duty, white, rubber hose
- . Connections: 1/2" NPS-M
- * Locking teeth prevent the sprayer from rotating while in the sprayer holder. No. AMB 1350204CW



Recessed Transom Shower

Push-Button recessed shower. Easy to use push button sprayer handle has built in grab ring for easy deployment.

Mounts vertically or horizontally.

Water connection: 3/8" BSP-F fitting. 1/2" NPS

Material: Plastic and chrome plated brass sprayer with nylon hose and plastic cup and cap.

Mounting Hole: 2-3/4' No. SVK 12106P





Blaster II Washdown Pump Kit

This 3.5 GPM Washdown Pump design was created with a unique over-molded single piece diaphragm, assuring long life and top performance in all marine washdown applications. The BLASTER™ II washdown automatic demand pumps are thermally protected and can run dry without damage. Includes fittings, nozzle, raw water



diano ana a 20 cone	111096			-
No.	GPM	PSI	Max Aamps	Price
SHU 4338121E07	3.5	45	75	\$179.99

WASH DOWN PUMPS



Blaster & Pro Blaster

The Blaster™ 4.0 is perfect for tough washdown applications, such as fish box, scaling, and anchor chain cleaning. These rugged, thermally protected, self-priming pumps deliver high lift, can run dry without damage, and won't overheat with extended use. Pumps are ignition protected and switches are sealed against water damage. 12V & 24 V.



No.	Description	GPM	PSI	Max Amps	Price
SHU 4238121E	07 Blaster II	3.5	45	7.5	\$149.99
SHU 4248153E	09 Blaster Pro	4.0	45	10.0	\$189.99
SHU 4348153E	09 Pro Washdown Kit*	4.0	45	10.0	\$234.99

*Pro Washdown Kit Includes: Pro Blasterpump, 25' coiled hose, nozzle, raw water strainer & fittings



PAR-MAX Plus 5 a xylem brand GPM70 PSI Washdown Pump

Service up to five outlets with smooth flow and hasslefree operation. The high pressure capability provides exceptional flow and consistent water pressure to easily handle the demand of multiple outlets. Self-priming up to 10 ft. and can run dry without damage. It's manufactured from corrosion resistant materials, capable of handling the harshest marine environments.

Sealed switch and co-injected molded diaphragm
 Automatic pressure switch

 Quick disconnect ports
 Noise dampening rubber feet
 IPX6 rated No. ITT 825050092

series

vater systems pumps



Next Generation Aqua King II 3.0

The Next Generation SHURflo Aqua King guarantees quiet and smooth performance while providing the ultimate in durability and reliability. Designed and built specifically for the harsh marine environment, the Aqua King can be run dry, is ignition and thermally protected, and is equipped with a sealed switch and seamless electrocoated motor shell. Our self-priming new design can operate at 55 PSI which virtually eliminates cycling. Fittings included. 3.0 GPM. 6.5 Amps. No. SHU 4138111E65



PAR-MAX 3.5 xylem brand For Multiple Outlet **Water Systems**

Par-Max3.5 multi outlet water pressure pump serves 3 or more outlets at one time. Self priming up to 10' and is a 3 piston chamber design that delivers 3.5 GPM for smooth and quiet operation. Diaphragm design allows for extended dry running. Snap in 1/2" barb or 1/2" Qest ports. 12 V DC.

No. ITT 32600009



5.0 GPM PAR MAX Plus **Water Pressure Pump**

This 60 PSI pump provides exceptional flow and consistent water pressure to easily handle the demand of multiple outlets. 12 Volt

- · Sealed switch
- · Automatic pressure switch
- Quick Disconnect Ports

No. ITT 825000092






BILGE PUMPS AND SUPPLIES

a attwood BILGE PUMPS

Cartridge Bilge Pumps

Made of premium materials with cool running motors, watertight seals and waterproof wiring to ensure a longer life. Motor cartridges are replaceable,



No.	Description	Size	Price
ATT 46067	500 GPH	3/4"	\$26.99
ATT 46087	800 GPH	3/4"	\$36.99
ATT 46127	1,200 GPH	1-1/8"	\$45.69

Sahara Automatic **Bilge Pumps**

A compact, automatic bilge pump you can count on for long-lasting performance. Sahara pumps feature an improved pump chamber and motor housing. As water flows

through the pump chamber, it circulates around the pump motor housing, helping to absorb the heat given off by the operating motor. Cool operation, durable design, and compact size.

No.	Description	Price
ATT 45057	500 GPH	\$55.49
ATT 45077	750 GPH	\$89.99
ATT 45117	1100 GPH	\$99.99

JOHNSON PUMPS

) Johnson Pump'

Cartridge Bilge Pumps 500, 750GPH

Easy-to-install Dura-Port discharge ports to eliminate stress cracking caused by over-tightened hose clamps. The pumps come with both a straight and a 90° smooth elbow Dura-Port. Max. dia: 2.75" Max. height: 4.4"



500 GPH

No. JHN 32503 - Model 500 GPH

S/I/199

No. JHN 32703 - Model 750 GPH 750 GPH

Automatic Bilge Pump Switch

Automatic Float Switch converts any Attwood or competitive-model bilge pump (10 amp or less) to fully automatic operation

No. ATT 42027





Livewell/Baitwell **Cartridge Pumps**



The innovative design includes exciting features including a quick, one hand "push button" motor cartridge removal system, patent-pending rotatable base that allows you to position the discharge nozzle at any location, and threaded nylon hose barb attachments, which allow for various hose mounting options. Other features include a built-in dual port option, water-cooled housing, and positive snap motor cartridge locking mechanism.

No.	Description	Price
RUL 401C	500 GPH Angled Fitting	\$47.99
RUL 401STC	500 GPH Straight Fitting	\$54.99
RUL 403FC	800 GPH Seacock Fitting	\$53.99
RUL 403STC	800 GPH Straight Fitting	\$59.99
RUL 405FC	1100 GPH Seacock Fitting	\$59.99

JABSCO

Washdown Pump 3 Chamber

Sealed pump head and motor, easy installation. Included with each pump is a strainer, nozzle and fittings for most

- · Compact 3 chamber design for greater pumping efficiency
- Pumpgard™ Intake Strainer, Pressure Nozzle and Port Fittings included (suitable for use in salt water)
- Corrosion resistant
- · Soft rubber mounts
- · Self priming up to 6 feet

No. ITT 326050092

) Johnson Pump'

3.5 Wash Down Pump

- 3.5 GPM wash down pump with 70 psi pumping power
- Efficient five-chamber design ensures smooth powerful flow and reduces motor speed and noise

· Inlet strainer and spray nozzle included





Pump

> Johnson Basspirator II™ **Cartridge Aera**

"Livewell Aerating Pumps" Motors are more powerful and water cooled for extra long life Patented cartridge concept allows anglers to make quick changes for service. and cleaning as easy.

No.	Description	Price
JHN 28502		\$49.99
JHN 28703	Model 750 GPH Straight	\$59.99
JHN 38502	Model 500 GPH 90°	\$49.99
JHN 38702		\$52.99

> Johnson Pump'

Automatic Switch

For full automatic bilge pumping operation, connect the automatic switch to your bilge pump. This switch has a time-proven micro

switch without mercury. Can be used with 6, 12, 24 or 32 V systems.

No. JHN 26014

> Johnson Pump'

Float Switch

As a separate accessory it is possible to attach the switch to all pumps in the L-series pumps. The switch is a non-clogging electronic float switch. 15 amp.

No. JHN 36152

) Johnson Pump'

Ultima Switch

The Ultimate Automatic Switch

No moving parts, not effected by oils or debris. Totally sealed electronics, completely corrosion proof and ignition protected. "Mirus" field effect technology.

Activates at 2" fluid level, deactivates at 3/4" fluid level. No mercury, no false starts. 20 Amp maximum, 12/24 volt. Meets and exceeds NMMA, ABYC, USCG, ISO 8846 & EMC 55014 requirements.

No. JHN 36303





Stainless Steel **Angled Washdown**

1/4 turn ceramic valve. Standard 3/4" garden hose thread for hose attachment. Includes interchangeable FRESH and RAW pendant.

Flange Diameter: 2-3/8"


No. SVK 10175P

BILGE PUMPS AND SUPPLIES



Standard 12 Volt Bilge Pumps

Under each strainer tab there is a small hole that vents any air trapped in the pump housing preventing airlocks. A built-in thermal cell protects the pump and the vessel when things get too hot.



· High efficiency, low amp motor

· Stainless-steel shaft

· Includes port and check valve

No.	Description	Port Size	Price
RUL 24DA	360 GPH	3/4"	\$24.99
RUL 25DA	500 GPH	3/4"	\$30.49
RUL 27DA	1100 GPH	1" and 1-1/8	\$53.49

Pump with Switch

Our quality pump and mercury free Rule-A-Matic switch in one convenient package

500GPH

No. RUL 2435A - 360GPH No. RUL 2535A - 500GPH





The Rule LoPro™ 900 is a low profile Bilge Pump with a 900 gallons per hour capacity. Designed for tight spaces, the height of the pump is only 2-1/4". It features a threaded discharge nozzle to which you can attach either a straight or a 90° fitting {included}. In addition, you may use the tricuspid check valve {included} on the straight fitting to minimize the back flow of water. The entire discharge body swivels up to 180° for ease of installation. The hose attached can also swive 360° to route the hose perfectly

No.	Description	Price
RUL LP900S	Fully Automatic	\$69.99
RUL LP900D	Non-Automatic	\$54.99

800 GPH Pump

Designed for smaller boats, the 800 GPH pump provides unique mounting features and versatility. Hose 3/4", 12 volt No. RUL 20F



1000 GPH Pump

In a class by itself, pumps 1000 GPH. This version of our time tested 800 GPH pump is designed for smaller boats, boats with deep "V" hulls and applications with height restrictions. 12 volts. Features:

- · Nylon impeller design
- · Stainless steel shaft.
- · Replaceable power module
- Hose 1-1/8" Dia.

No. RUL 20A

\$4999

1000GPH

1500 GPH Bilge Pump

High pumping capacity and reliability at a lower cost. Pumps 1500 G PH

Hose 11/8" Dia.

No. RUL 02 - 12 volt 5 No. RUL 03 - 24 volt



12 Volts

5**719**99 12 volt

2000 GPH \$14999 24 volt **Bilge Pump**

Engineered to commercial standards. Hose 11/8" Dia. No. RUL 10 - 12 volt No. RUL 12 - 24 volt

Electronic Sensing Bilge Pumps

No Float Switch Needed! Sensing bilge pumps works on the principle of impeller

resistance. The pump will turn on every 2-1/2 minutes for about one second to sense for water. If water is present, the pump will sense resistance and continue to run until all water is removed. After that, it will resume checking for water every 2-1/2 minutes. · Completely automatic with manual override

- No Float Switch Needed!

· Check valve included with hidden air vent to prevent airlocking. True electromagnetic suppression (EMC)

· A built-in thermal cell that protects the

pump and the vessel when things get too hot.

No.	Description	Port Size	Price
RUL 25SA	500 GPH	3/4"	\$69.99
RUL 27SA	1100 GPH	1" and 1-1/8"	\$109.99

Automated Bilge Pumps

The pump and non-mercury float switch are in a single, compact housing. As the water level rises, so does the float switch, activating the pump when the water level reaches 2-1/8"

No.	Description	Price
RUL RM500A	500 GPH	\$54.99
RUL RM750A	700 GPH	\$79.99
RUL RM1100A	1100 GPH	\$99.99
RUL RM1500A	1500 GPH	\$189.99

3-Way Deluxe **Panel Switch**

12 Volt. 3-1/4" x 2". No. RUL 41



3-Way Rocker **Panel Switch** (Deluxe)

This unit has a built-in fuse holder and an internally lighted rocker switch with 3 positions (automatic, off, or manual) with the Rule "fail-safe" spring return to "off" from the "manual" position

No. RUL 43



rule Mercury Free 35A and 37A Series **Automatic Float Switches**

· Larger float for increased buoyancy

· Proven seal design

· Snap-in base for ease of installation



Super Switch

No. RUL 35A - 14 Amp Float Switch No. RUL 37A - 20 Amp Super Switch

rule

Rule-A-Matic® Plus™ **Mercury Free Float Switch**

Dual level anti-clog water slots provide a unique level of performance and protection.

PERKO® Thru-Hull



Connection Molded White Plastic

Marine U.L. Listed Broad Flange No.		Maximum Hull Thickness	O.D. Flange	Prince	
PER 0328DP5	3/4"	1-7/16"	1-7/8"	\$4.99	
PER 0328DP6A	1-1/8"	1-1/2"	2-1/4"	\$7.99	

ORPINE Bilge Cleaners

Orbilge is a highly concentrated bilge cleaner preferred by commercial fishermen and captains. Removes oil, grease, and fuel from

the bilge while leaving a fresh pine scent. Biodegradable.

No. ORP OB2 - Qt. No. ORP OB8 - Gal.

Quart Gallon

MARYHATE: Big Bully Bilge Cleaner

· Emulsifies oil, and grease.

- · Leaves bilge areas clean and fresh.
- · Works fast.

· Biodegradable.


· Quart size No. MKT 2332

MDR * Bilge Oilzorb

Absorbs two quarts of oil in the bilge and repels water. Durable open-mesh design permits full saturation of oil. Will not mildew or disintegrate. Non-toxic. 4" D x 15"

No. MDR 755





LADDERS

a attwood Turbo Charged

Bilge Blowers · Provides 145 cubic feet per minute air flow

. For 3" I.D. hose.

Turbo 4000

 Provides 230 cubic feet per minute air flow.

· For 4" I.D. hose. Meets ABYC, U.S. Coast Guard, and ISO standards; NMMA listed.





Turbo 3000

Turbo 4000

Low Profile

1000 Series

Hatches

BOMAR BOMAR

· Anodized heavy-duty aluminum frames

· Vent position

· Heavy-duty acrylic top

· Quick acting tie down dogs

Sun shade available

No.	Hatch opening	Price
POM N100010A	9-5/8" x 9-5/8"	\$323,99
POM N107010A	15-7/16" x 15-7/16"	\$389.99
POM N103910A	19-1/8 " x 19-1/8"	\$482.99



Nautalift™ Gas Lift Supports

- · Marine grade gas filled lift supports
- · Annealed steel rods, nitride coated for corrosion resistance
- Exact fit OEM replacement

No.		Compressed Length	Rated	Price
SIE GS62600	7.5"	5.5"	20 lbs.	\$21.99
SIE GS62640	10"	7"	40 lbs.	
SIE GS62690	15"	9.5"	30 lbs.	\$21.99
SIE GS62700	15"	9.5"	1 A A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1	
SIE GS62740	17"	11"	40 lbs.	\$21.99
SIE GS62790	20"	12"	40 lbs.	\$21.99
SIE GS62800	20"	12"	60 lbs.	\$21.99



Made from rugged ABS plastic, will not rust or corrode, discolor or streak. No dangerous sharp edges to scratch or cut hands or feet. Designed for gunwale mounting to assure high vent mounting so that the boat will meet and pass the tip test.

No. ATT 14951 - White No. ATT 1495A1 - Black

No. ATT 1495B5 - Chrome



Removable Folding **Pontoon Boarding Ladder**

 Folds down to 4 steps; hooks fold and ladder stows in locker underneath furniture

Securing strap included

Sturdy design with overrail hooks for easy boarding

Lightweight anodized aluminum 1" diameter resists corrosion

Attaches easily to deck at side gate for temporary or permanent mounting with included mounting cups

Comfortable contour black traction molded

4 step, Fold Down L: 30"+13", W: 16" No. GAR 1235021 - 4-Step Ladder




Monarch moor whips

Aluminum **Dock Ladder**

Constructed of heavy duty marine grade Aluminum. Steps lift up and out of the way.

No. MON 5LL - 5 Step No. MON 7LL - 7 Step

3999 5 step



Fixed Dock Ladders

Made from high quality marine grade aluminum. Each grooved ladder rung is notched into vertical side rail for added safety. Ideal for use as a safety ladder. Each step will equal approximately 1 foot down from the top on the mounting surface. All TA Ladders bolt together where the loops fit inside of the side rails for convenient storage.

No. MON TA3 - 3 Step Ladder No. MON TA5 - 5 Step Ladder



4 - Step Stainless Steel **Pontoon Ladder**

Telescopes and flips up

· Stainless steel 316 tubing

· 400 lb. capacity

 Mounting hardware not included Length Deployed: 57" Width 12" No. JIF IBC



EEz-In® Boarding Ladders

Deluxe Series Ladders.

Feature comfortable and sturdy white traction molded 15" plastic steps. Durable I" diameter aluminum tubing. Thick vinyl covered 11" hooks will not mar hull's finish.

No. GAR 05031 - 3 Step. 36"H No. GAR 05041 - 4 Step. 48"H No. GAR 05051 - 5 Step. 60"H

3 step

5 step



JIE Stainless Steel 3-Step Telescoping Sport/Diver Ladder

· Comfortable non-skid step surface

Stainless Quick Release Mounting Bracket

• 400 lb. capacity Length: 38" Width: 14" Weight: 13 lbs.

No JIE FESS



3-Step Over Platform Telescoping Boat Ladder w/ Hand Grip

· Steps fold over flat on platform for compact storage

 Electropolished stainless steel 316 · Flat poly treads for increased comfort

· 400 lb. capacity

Length: 34" Length (Stowed): 15" Width: 12" Weight: 10 lbs.

No. JIF EQB3

\$**149**99



2 - StepTransom Platform With Telescoping Ladder

· Platform is pre-drilled for easy assembly

· Ladder steps telescope down easily

· Ladder slides up and over platform for stowage

· Flat poly treads for extra comfort

For use on Outboard Transoms

One stainless rail and one underside support rail (both 1" diameter, reversible)

No. GAR 19537

For use on Inboard/OutboardTransoms Two 1" diameter stainless wrap around rails

No. GAR 19547

Specifications: 18" W x 15.5" D x .75" T. Height above platform: 12.5", L deployed: 22.75", L stowed: 17", Overall Height 5". W 13.5"



SEATING

Barelick Eeg-In Seafarer Chair **Package**

Package Includes:

- · Seafarer Seat Shell
- . Seafarer White Cushion Set
- 15" Fixed Height Pedestal With 9" Floor Base
- Anodized Post And Base
- 2-7/8" Locking Trac-Lock Swivel Seat Dimensions:

17" H x 16" W x 14" D

No. SPM 1000605L





Economy Folding

Durable upholstery, folds easily, strap with snap to keep seat secure. Rigid injection molded frame. Heavy-duty aluminum powder coated hinges.

Height: 19" Width: 16" Depth: 15.5"



No. SPM 1040621 - Blue

No. SPM 1040622 - Green

No. SPM 1040623 - Gray

No. SPM 1040624 - Charcoal

No. SPM 1040628 - Tan No. SPM 1040629 - White



High Back Folding Seats

Durable upholstery, folds easily, strap with snap to keep seat secure. Rigid injection molded frame. Heavy-duty aluminum powder coated hinges.

Height: 21.5" Width:16' Depth: 15.5"

No. SPM 1040661 - Blue/Gray No. SPM 1040663 - Gray/Charcoal

No. SPM 1040665 - Red/Gray



Premium Folding Seat

Premium high quality upholstery and cushions with rigid injection molded frame for maximum support and comfort.

Heavy-duty aluminum powder coated hinges. Durable strap with snap keeps seat closed when folded down. Weather resistant marine grade vinyl.

Height: 23.25' Width:16.5" Depth: 16.5"



No. SPM 1062131 - Blue/Gray No. SPM 1062134 - Charcoal/Gray

\$**108**99

M•=LLER Swing Back Seat 72 Quart

with Cooler Base

· Double wall foam insulated base

- · Molded polyethylene construction
- · Use as a cooler or adapt

to a live well · Easy installation with molded mounting

plates Seat

· Heavy duty marine grade vinyl

- · Mildew resistant thread
- Plastic frames
- · Deep foam seat and back · HD aluminum sup-
- port slides fore and aft
- · Seat back is cushioned on both sides
- 76 Qt capacity
- 18-1/2"D x 37"W x 34-1/2"H No. MOE ST2200

M•=LLER Swing Back Seat 50 Quart

- · Double wall foam insulated base
- · Molded polyethylene construction
- · Use as a cooler or adapt to a live well
- Easy installation with molded mounting plates

Seat

- · Heavy duty marine grade vinyl
- · Mildew resistant thread
- · Plastic frames
- · Deep foam seat and back
- · HD aluminum support slides fore and aft
- · Seat back is cushioned on both sides 17" D x 30" W x 34-1/2" H

M•=LLER· White Helm Chair \$13399

- · Standard seat with molded arms
- An industry favorite
- 24.5"D x 20"W x 16"H
- · Cushion set, mounting plate (w/o swivel, slider & pedestal)

No. MOE ST2000HD





Non-Locking

6-3/4" square x 1-1/8" High. With 4 Hole Mounting Pattern. 0-Degree Non-Locking Swivel. Rotates 360°

Mild Steel E-Coat \$1949

No. SPM 1100007



Mariner Chair

With Weatherproof Sewn Cushions

- · Anodized frame resists the elements
- Beautiful sewn cushions and arm rests
- · Durable 1" double leg frame provides extra stability
- · Marine grade vinyl
- · Chair folds for stowage, dual locks prevent folding during use

· Overall width 26"; seat 19" wide 15.5" deep.

No. GAR 4810661

Designer Series Anodized **Aluminum Padded Deck Chair**



GAR 3502962 GAR 3502967

Description Navy Blue Black

\$91.99

Sailfish Folding SPRINGFIELD Deck Chair

- · Durable, Sturdy, & Portable Seating · High-density foam
- cushions covered with marine-grade, mildew resistant vinyl · Double tubes for extra
- sturdiness
- · Folds flat for compact storage



SPM 1080021EMB SPM 1080021

Description **Emblem** Without Emblem

\$197.99 \$189.99



TOPS AND COVERS

SEM Vinyl Coat

Marine Vinyl Coat is a line of flexible aerosol coatings to match, restore or change the color of most marine vinyl and plastic surfaces

· Covers stains, fading and prepped mildew

- Superior adhesion
- Stays flexible, will not crack
 Quick drying
- 16 oz. Aerosol
- Excellent hiding
 Outstanding UV protection

\$2079

11.	
No.	Description
SMP M25003	Ultra Purple
SMP M25013	Ultra Turquoise
SMP M25023	Ranger Orchid Green
SMP M25033	Ultra Blue
SMP M25043	
SMP M25053	Ranger Admiral Blue
SMP M25063	Ranger Black
SMP M25073	Ranger White
SMP M25083	Ranger Off-White
	Carver White
SMP M25093	Sea Ray Mystic White
SMP M25103	Sea Ray Alabaster
SMP M25113	Sea Ray Champagne
SMP M25123	Carver Dade Bisque
SMP M25133	Carver Light Tan
SMP M25143	Chaparal Beige/Platinum
SMP M25153	Stingray Taupe
SMP M25163	Ranger Beige
SMP M25173	Ranger Charcoal
SMP M25183	Ranger Gunmetel Com
SMP M25193	Ranger Gunmetal Grey Light Gray
SMP M25203	Formula Danta C
SMP M25213	Formula Boats Grey
SMP M25223	Carver Coco
SMP M25233	Stingray Yellow
CIMP MACOAS	Formula Boats Red
SMP M25243	Sterling Burgundy

SEM SEM Soap

A mild abrasive cleaner used as the first step in refinishing flexible substrates. Use on vinyl, leather or plastic

Gravitates into surface and floats contaminants for easy removal

· Mild abrasive helps with adhesion

Foaming action removes body oils and other water soluble

No.	Size	Price
SMP 39362	16 oz. Tube	\$18.89

SEM Vinyl Prep

A strong solvent blend critical to refinishing vinyl.

Removes soil, wax and grease

· Works quickly Temporarily softens substrate · Clear

Promotes adhesion of top coat

 Ready to use Size 16 oz. Aerosol \$19.39

SMP 38343 **SMP 38344** Quart \$39,49





Anchorshade III

This uniquely designed 6 ft. x 6 ft. square umbrella can be used on almost any vessel from a small fishing boat to the larger high performance boat.
Anchorshade III features a light weight mildew/fade resistant, water repellent, UV treated polyester top which blocks out 85-90% of harmful rays, adjustable nylon straps; and a pole and a powder coated cluminum frame construction to present aluminum frame construction to prevent rusting. Anchorshade III is designed to be used when anchored or at idle speed on a calm day.

No. TAY 22042



nearly 2' schedule 40 pipe Marine Grade anodized Aluminum. Leading edge of top tilts down for aerodynamics

Includes 4 welded tulip shaped rod holders

Offset mounting bases for closest fit to Trim to fit side braces to console

 Custom extruded top clamp assembly makes adjusting beam width between legs easy, but provides permanent attachment when tightened.





OTHER MODELS AND CANOPY COLORS AVAILABLE

No.		
ATL	TIB515255CR	T-1
ATL	TTRU	30

ATL TTCP

Description Top Original Universal Black Canopy Navy Canopy

\$1,499.00 \$199.00 \$199.00



Universal Center Console Covers

Console covers provide protection for the console, electronic equipment and controls. Draw rope is sewn into the hem to keep the cover securely in place. Color: Cadet Gray

No.	Dimensions	Dring	
CAR 8400110 CAR 8400210 CAR 8400310	40" Dx33" Wx36" H 45" Dx36" Wx46" H 50" Dx40" Wx60" H	\$113.99 \$136.99	
	2410 14V00 II	\$100.99	



TACO Neptune II Leaning Post w/ Optional Backrest

Designed for 13' - 23' center console boats. This is the perfect solution for retrofitting a current installation and new installations.

- Brite anodized aluminum pipe construction
- · 4 welded-in rod holders
- · Upholstered cushion seat
- · Solid construction, 3 Year Warranty
- Footrest for optimal comfort
- Adjustable footrest Under-seat storage
- · Securely holds 4 rods & reels
- Assembles in 15 minutes

 Weather-resistant upholstered padded vinyl seat always looks new Dry & compartmentalized storage to keep the fishing area clean and in good order Options: Adjustable width, seat back fits ALL leaning posts. Specifications: Material: Anodized Aluminum, Upholstered seat cushion. Dim. (w/o back rest): 33"H x 22"L x 35"W. Dim. (w/ back rest): 48"H x 22"L x 35"W. Leaning Post shown with optional backrest

NO.	Dimensions	
TAC L1010031		Price
AND DESCRIPTION OF THE PERSON NAMED IN COLUMN 1	Neptune II Leaning Post	\$1,080,00
TAC L1010021	Optional Backrest	\$240.00



Pontoon Privacy Curtain

Great for use as a changing room or portable potty enclosure. Made with Marine Grade Polyester - Poly-Flex. Attaches to bimini top with 1" polypropylene straps with quick release buckles. Height is adjustable up to 60"

No. CAR 53006

S**FR**99



Helm Seat Cover



24" High x 24" Wide x 22" Deep

- · White vinyl
- Mildew & water resistant
- UV Protection
- · Water proof
- · Air vents
- · Heavy duty
- · Draw string hem No. TAY 40230



Universal T-Top Center Console Cover

This trailerable T-Top Console cover is secured to the underside of the fixed T-Top structure and will enclose any size console, helm seat and T-Top support combination with a maximum base perimeter (at the deck) of



18' or less. Console cover measure 48"W x 60"L x 66"H.

- Adjustable straps allow the cover to conform to most console configurations.
- Boats with smaller consoles and T-Tops can also cover and protect the helm seats. Heavy duty marine grade zipper allows easy installation and removal. Poly-Cotton. Color: Grey. Fits 3/4" aluminum pipe or 7/8" or 1" stainless.

No. TAY 67852

BIMINI TOPS AND COVERS



CARVER Bimini Tops with Matching Boot

- · Full Frame Tops
- · No assembly required
- · Easy do it yourself installation
- No freight charges on stocked tops

Our bimini tops are offered in two top quality materials:

• 9.25 oz. Sunbrella 100% woven acrylic material with a finish that resists water, mildew, rot, sun and fading. Available in the following colors: Aqua Marine, Burgundy, Cadet Gray, Navy, Pacific Blue, and Mediterranean Blue.

 14 oz. White vinyl with denim backing that features a waterproof, all-weather finish that is resistant to dirt, grease, and mildew. Easy to handle, fold and store

HOW TO SELECT A BIMINI TOP FOR YOUR BOAT

To select a bimini top for your boat you will need to know the length, height and width of top your boat requires.

· First determine what portion of your boat you want the top to

The tops come in 5', 5'6", 6', 8' and 9' lengths.

Next, determine where you want the top mounted. Measure the width between these two points to determine where you want the top mounted. Measure the width between these two points to determine where you want the top mounted is included with a window including universal deals blood. mine the width of your top. All mounting hardware is included with our tops including universal deck hinges with 90 degree stops to allow mounting in virtually any position.

 Then, stand inside your boat and measure the distance in height from the mounting points to the height you desire. This will help you determine how high your top needs to be







Black







Navy





Pacific Blue Mediterranean

Go to Carvercovers.com to select your Style and Fabric. Hundreds of Styles are in Stock for Immediate Shipment



Carver FLEX-fit Boat Covers



No.	Boat Type	Length	Width	Price
CAR 78001	V-hull fishing boats V-hull narrow bass boats	14' - 16'	78"	\$119.99
CAR 78002	V-hull runabouts I/O or O/B Tri-hull boats I/O or O/B	14' - 16'	86"	\$149.99
CAR 78003	Tri-hull bass boats Fish & ski boats I/O or O/B	14' - 16'	96"	\$159.99
CAR 78004	Wide bass boats Tri-hull boats I/O or O/B	14' - 16'	96"	\$156.99
CAR 78005	V-hull boats I/O or O/B V-hull boats I/O or O/B	14' - 16'	102"	\$175.99



Styled-To-Fit Personal **Watercraft Covers**

Performance Poly-Guard®

Excellent Quality, 100% Marine-grade polyester. Highest tear strength available. 8 oz, strong and durable. UV and mildew resistant. Excellent resistance to fading. Extremely water repellant. Breathable to help allow interior moisture to escape. Made in USA. (5 Year Limited Warranty)

Color: Haze Gray.

- · For 2 or 3 seater PWC's
- 1/4" shock cord encased in hem for a snug fit against the hull.
- Strong, reinforced tie-down loops sewn into cover.
- · Package includes (six) tie-down straps
- · Finished seams no raw edges



No.	Length	Width	Height	Price
CAR 4002P10	124"	48"	44"	\$139.99
CAR 4003P10	132"	48"	44"	\$149.99

Square Tube Pontoon Bimini Tops

Carver 4-Bow Square Tube Bimini Tops are designed for pontoon boats. The tough, rigid 1" square satin finish tube compliments the rails on the pontoon boat.

Fits Deck Widths: 96" or 102" 4- Bow, Top Height - 48" Top Length: 8 SUNBRELLA® ACRYLIC

No. CAR A8SQ4893TB02 Color: Black

No. CAR A8SQ4893TB04 Color: Pacific Blue

No. CAR A8SQ4893TB08 Color: Burgundy

No. CAR A8SQ4893TB10 Color: Gray





FISHING ACCESSORIES

SEPPOGLINE ABS Flush Mount **Rod Holder**

No. SDG 325161 - White \$649 No. SDG 325160 - Black





Chrome Plated Fishing Rod Holder

PERKO

Chrome Plated Zinc flange, anodized aluminum tube, soft black liner with flange gasket and integral flip-up cap. No. PER 1205DPOCHR

SEPPOGLIFF Stainless Stamped Flush Mount **Rod Holder**

Stainless steel construction with stamped stainless steel mounting flange, rubber flange gasket, and full length rubber liner. Includes an integral rain tight flip up cap. 5/8" x 1-1/2" I.D. Length 8".

No. SDG 3251751

SEPPOGLINE



Investment Cast 316 Stainless

A high quality 90° cast stainless rod holder designed for smaller rod/reel combination. Includes plastic liner, integral cap and mounting gasket. Length: 9-5/8", inside diameter: 1-5/8",

No. SDG 3252331

SEPPOGLINE

Side Mount Rod Holder

Injection molded polypropylene. No. SDG 3251401 - Black





SEPPOGLINE Removable **Rod Holder**

Stamped 316 stainless steel. Length: 9", inside dia. 1-1/2". No. SDG 3251901



a attwood

Stainless Steel 30 Flush Mount Rod Holder

Attwood stainless steel rod holders meet the need for the finest in finish, function and durability. 2" Diameter

No. ATT 663627

SEPPOGLINE Rail Mount Rod Holder

Injection Molded. Rail Mount Rod Holder is designed with a front mount adjustment screw. This allows easy adjustments without having to disassemble the rail mount brackets. No. SDG 3271611

SEPPOGLINE

Stainless Rail **Mount Rod Holder**


Formed 316 Stainless/Injection Molded Polypropylene. The Sea-Dog rail mount rod holder is designed with a front mount adjustment screw. This allows easy adjustment without having to disassemble the rail mount brackets as required on competing models. Dimensions: 9" Long, 11-1/16" I.D., fits 7/8" **Tubing**

No. SDG 3271761

PERKO

Clamp-On Rail Mount **Chrome Plated Rod Holder**

Chrome plated zinc with stainless steel tube and black plastic liner. Clamp-On feature eliminates drilling rail and simplifies relocation. Mounts on vertical or horizontal rails. Adjustable for rails 7/8 - 1" in diameter. I.D. tube: 1-5/8", O.D. tube: 2", overall length: 9". No. PER 1215DPOCHR



Heavy-Duty rod holder with Combo Mount features an ergonomic design and easy to find rapid release latch mechanism. The large, easy-grip lock-nut offers easy adjustment 180° vertical adjustment range for a variety of rod tip height settings. Use with casting rods and spinning rods. Includes combo mount.

No. ATT 50094 - Black No. ATT 5009W4 - White



Aluminum Clamp-on Rod smith. Holders

These rod holders are constructed of marine grade aluminum that has been 100% anodized for functionally and style. The taper liner and the addition of a rod security hole in the blade ensure that your valuable rods are protected. Ensures a slip resistant fit on marine aluminum boat rails and tower, and they prevent the risk of welding heat damage to any cables inside. Available both vertical and horizontal clamps, complete with 316 stainless screws, these clampon rod holders are ideal for easily adding as many rod holders as you want.

No. CES 53720 - Horizontal Mount No. CES 53725 - Vertical Mount

Your Choice

TACO Stainless Steel Clamp-on **Rod Holders**

Adjustable 316 stainless steel clamp on rod holder fits virtually any pipe or tube! Internal locking positions turn every 18 degrees to any mounting position. Finish: Polished.

No. Description TAC F162600POL1 7/8" & 1" tubing \$95.99 3/4" & 1" (I.P.S. pipe) & 1" TAC F162623POL1 & 1-1/4" tube \$103.99 TAC F162630POL1 1-1/4" & 1-1/2" (I.P.S. pipe)

\$113.99



Cap and Gasket Kit Soft black flange gasket with integral flip-up

cap and soft black lip. Replacement or upgrade for older holders

No. PER 0480DPOBLK Fits most standard heads No. PER 0481DPOBLK

your choice

Fits most oval heads



SEPPOGLIN

Square Rail **Mount Rod Holder**

Injection molded polypropylene. Rail Mount Rod Holder is designed with a front mount adjustment screw. This allows easy adjustments without having to disassemble the rail mount brackets. White LENGTH:11-3/4", FITS TUBING: 7/8"-1"

No. SDG 3271661

SEPPOGLINE Wall Mount Rod Holders



Injection molded polypropylene - white One Piece, no assembly required, 1-3/4" I.D.

No. SDG 3250281 - 2 Pole w/Pliers Holder

Length: 10-5/8" No. SDG 3250381 -3 Pole w/Pliers & Knife Holder

Length: 17"

TACO 4-Rod Deluxe **Poly Rod Rack**

- · Integrated slots for knife & pliers
- · Closer rod holder spacing; ideal when space is limited
- White polyethylene No. TAC P03064W



